

3M TAPES

1. 4910 VHB Clear



S.no	Description	Size	Colour	MOQ
1	Clear VHB tape used for bonding of different substrates In interiors applications. General application involve bond.	8mm x 8.22m 6mm x 8.22m	clear	108 rolls

2. CWT TAPE(cotton wall tape)



S.no	Description	Size	Colour	MOQ
1	1.1mm thick VHB which is tape used for bonding various substrates Like aluminium composite panels,ss panels for exteriors.	12mm x 8.22m	black	128 rolls

3. SGT TAPE (structural glazing tape)



S.no	Description	Size	Colour	MOQ
1	3m VHB Tape is an alternative fastening method which offers superior aesthetic qualities over conventional mechanical fasteners and welding. The 2.3 mm thick VHB tape is used for glass bonding in structural glazing application	18mm x 6.39m 12mm x 6.39m	Grey	60 90 } rolls

4. 4026 MIRROR MOUNTING FOAM TAPES



S.no	Description	Size	Colour	MOQ
1	1.6mm thick mirror mounting tape is used in fixing of mirrors. The tape is used extensively in fixing of mirrors in bathrooms, bed rooms and Gyms.	1" x 8.22m	White	27 rolls
2	1.6mm thick mirror mounting tape is used in fixing of mirrors. The tape is used extensively in fixing of mirrors in bathrooms, bed rooms and Gyms	1" x 5m With primer 94	white	36 rolls

5. 4412 N EXTREME SEALING TAPE



S.no	Description	Size	Colour	MOQ
1	3M solution for construction roofs and others sealing applications; polycarbonate sky lights where the sealants are not able to take the expansion and start cracking thus allowing water.	60mm x 10m	White	9 rolls

6. 3M 2280 Masking Tape – General purpose tape



S.no	Description	Size	Colour	MOQ
1.	General masking tape	24mm x 8.22m		6912

7. 2207 Surface protection tapes (Temporary protection)



S.no	Description	Size	Colour	MOQ
1	For glass & Metal surface protection	1200mm x 100m		6

8. 3M Aluminium Foil Tape



Aluminium Foil Tape					
Product Name & Size	Size	Product Description	Colour	UOM	Consumption
A432 Al Foil Tape 30mic	50mm x 50m	To seal overlap joints in Ducts	Grey	Roll	Linear coverage

9. 3M PU Sealant & Primer 94



S.no	Description	Size	Colour	MOQ
1	525 sealing of expansion joints,gap between windows/ door & concrete and gap between stone cladding	600ml	grey	12 nos
2	540 sealing of expansion joints,gap between windows/ door & concrete and gap between stone cladding	600ml	Black/ white	12 nos
3	Primer 94 half ltr can 3M tape primer 94 can be used to promote adhesion of 3M tapes to surface Such as polyethylene ,polypropylene ,ABS, PET/PBT blends , wood, glass and metal surfaces.	500ml		12 cans